Yi 2 Richetts - Bringwoom - de 7399 F 44 Projecting forwards, Swelling of the knew turned belly, and a general washing of other parts of the It weide its first appearance in high in the year 1620. It was a common disease in the Rign of Charles 11. The deformity indueld by in the legs first introduced the Use of boots to coneal that deformity. It is remarkable While drefs indues some discases, certain Diseases induce certain Trafses. Thus the place polonica indue lis to hair powers - primples to poultice) neckelouths, and bandy begs to the live of boots. In & It was for a long while confi-= ned exclusively to the Children of the nobility and gentry. It now prevails abmost exclusively

V Others ascribe it to a defriency of Oil in the bones, and that two from a want of a sufficient quantity of Oil in the abount. a sem 1 the talens live or seems and A plant is or a bound to it .

among the Children of poor people. The follows generally makes it applea the Internit fever. It liturise druceds finall pox, menoles, & Joure Chronic Discases. Is it a finer anisplaced? - or translated to the bones? It is a rare disease at present com-= frand with former years? Is this owing to greater Cleanlines - better diet it warmen drefs - which have had finisher effects in Obvicing the Jugarency of Jewess from an impure atmosphere? The predisposition to this disease is said to be oursioned by a defect of earthy matter in the bones. It is certain the Unine of persons who belows that contains enore earth than is notural toit. V It is said to be indued by placing Child-

t

left to sit, or evand all day by their poor basents, and are seldom made to not their is attended with quest provided expelen

is true - hence we find it arrang the Children who of poor projete, who we deft to sit, or crowl all day by this poon parents, and are seldom made to use their feet, or lys in Standing. The Remedio thould be I bd: and other deplating remedies when it is attended with great prosbed excitement. a Chalyheates - 3 Bask, 4 torrie aliment 5 a Change of air. This will be the mosenez - cepany if we suppose it to be a misplace's fever, and disived from the atmosphere. In Scotland, they come it by animing the whole body with Scate Oil - does it act by preventing a discharge this the bours of Something recepany to the texture of the bones - to does it convey the supposed

the state of the first of the first of V I rijut here all the enephive flates of five over formerly mentioned . -- They have as many names as the prosologists have given us Speries of fiver . - I shall consider them as an Unit divessified in y forms by fituation, figure, & digree.

7

i

0

-

W

a

/

deficient oily matter in them I f am mable to answer these questions. I have muer sumbert One Case of this disease under my Care. - I have often sun its effects in the deformity of the lines in Lottand. of antaneous chiscuses shiroless These complaints ( to Often reglected by Physicians) are highly important, I be -course they are Often atten connected with discoses of the whole body, & Sometimes with parts especial to life in the first degree . D 2 Because they they are distriping to the persons affects by them, & Offensive to this friends. V The Before I proud to heat of their different forms, I shall chliver the follow:

ended to all the 2 too little variance in the whole A STATE OF THE PARTY OF THE PAR 1 2 in the Survey. 1 3 Pate fall How in the House of Africans a sur party desired a formand and in the Mountains (90 0 0 in line flish of in the 1 a sporter in the shifter floored

ermasho. I They are generally connected with two much or two little existement in the Whole 2 They are Often connected with a vitable flate of the fluids on in the Unescal Discose, and perhaps the Survey. 3 They are Often connected with a morbid State of the Stomach, & abinistary Canal. - Putil fish offen in the Stomach Offen indues a temporary thinese efflorescence on the Skins - and an arid in the flownech Often indues Chronic emplions on the 4 They are Tometimes wholly unconocetto with the flate of a whole or a part of the System , or the flate of the flied, as

I They constimes disappear when on Wo= -men in prynaming & return after appear i in the form of ex partinition. Low which effect hours I in Jose Which send matter from which any are formes dela . - The proximate conce of 0 Here all is for surveiled action in the Centre rever before or Orfereno Hands. Illen They. seem on the lead, the forthe of the hair as affer to by discool for factor landons My amour so at to all the abour courses me first inquiry though he whether they have one is I attempted with any givent discure of the state splen After lave the lander the also

for the itch, and emptions from local pois arising the huntitance funity discuse. V 6 This arising discuss affects the Skin, it appears; in the form of efflorescine. In this Case it is temporary, except in the face. 2 in destous on der Sous which effest desum, 3 in Sons which suret matter - from which 4 are formed Scales. - The proximate course of Them all is for morbid action in the Cuta. never be the head, the brills of the hair The Remedio thould be careful. : ely auommodated to all the above Comeses. - Our first ingviry thould be, whether they have Incueded, or alternated with any general discuss of the whole System - It they have the Remidies thould be directed to the Come of that discuse of

+ with there Remedies certain det drinke have been found inspul. The test plethoric habits crude & boiled in water - a duraction of the woods, - de have been found norful. They all net by 4 promeeting perspiration. In debilit habits a duration of perfolium, or thorowwest has Imformed great Comes. Do Thing says Wild wine are ixcellent in such habits as a part of diet. I have known assure to of ag " bis die alient?" I above all - som undertionary would, a Sahirat? I to took The difficulty of curing them arises chiefly from their affecting the Skin only By diffusing them - ble Sometimes core them. This is to be Jone by Vd: - Strong gues of vortes, or h artif Diumper - fact of reprosy in famine. and timpeties hact of hympathy of pores kinneys.

which it is the Sucrepor or atternative. and those the be depliting, or torris awarding to the flate of the System. a eng. dict, & an animal chit have cach cured it - So haveled & punges, and Bask & the Cold Bath according as the Lyster disease which indued it has been attended, with great or treak morbid exciting. - If the disease of which it sounds has been of long continue ance, and has been deated in a part very epential to life as the head, or lange - or to Comfort, as the eyes & ears & thould be approached with a bambling hand. Wuly my in an exposed part of the body, they thruld evol touched, and if they are, an ifone the be du be tituted for them. If the disease be connected with enorbid aridity in the Stomach, or dry

ods

from a from in wheated to work the growing have then from the Sulet sugar the come and after words towies I have bedy hard of arterioris originary of an obstract of a winders his in the out the out the wind Marke with bridge my the fleride as in who can dealuppe of wing the Residence formulation p for thoughour word hould be early byed. him what is Enjoyana and from bust see 1 when at forthists as that, no this transfel the fact of the oppoint should not Extrap they are I letter after hart to weer you th. how hay aunipaired put house = to 1

Should frist be directed to was the servous Them. an Smetic Should begin the cure, and afterwards torries. I have betty heard of actamous enerotions of an obstinate high time with with and by districting bishoying a morbid aid in the Homach. Visit! a Vitiated State of the fluids as in Voliscase of perhaps Jenny, the Remedies Jones Lyment, for those diseases thould be employed. Two wheathe Emptions are from weel NO extraval Juitants as Steh, for bites of Insuts be the flate of the System Thould not be over - looked. They are I believe often hard to eure, only from bing anompanied with diseased action in the whole System. In Emptions from all its courses, to the persons topical applications are proper,

ly should be diffe fet gunthing alea affection house to painty letting - to the the state of t 2 H water 3 Jung and by poultiers 3 discussioned to be and the the applies as I fooking thinks. The la

The cases formerly mentioned excepted) but they should be different awarding as they are attended with more less pain; ilching - on obvious inflammation. the Rimedies thousand be " A Cold Best water 2 des many emptions have been and by this remedy. It has promoting Chambines, as avell as abating morbid action. 2 that water.

2 Lead water. 3 Smeet Oil . 4 poulties of bread dwilk. where the action is feeble, gentle Stimulants may be applied as I fasting Spittle. The Saliva of a dag has performed great ares by liching such emptions. It is more active than the Salina of Other arrivals, from being inspregnated with what prospirable matter houses 3 falt be water. a simple, Cheap, but excellent remoty & Prepare - by giving tone to the bepels, it prevents this pouring forth this

Vie Sticking plasters. B. Duochon of wahnut leaves also 3 the Holding a red hot iron to them, and af: - tem and covering them by pho gets dipped in Sweeting of Banks. Lougher. 4 2 By Disty wool brunt under stoo a fore. The Imohe is both active & consider . In allison 5 the Line water. 17 Salt dif olved in Unne. an aler of 5 years standing was cured in DBoer. = house when a boy awading to his Biographen Diffetchison. 16 fermenting poultie. bis Change of Chimate. Is Clighorn says Tores heal with great difficulty in minoue, other have Often been observed to be retrograde in cold, To the form loss from fores of fall kinds de healed with great difficulty in those Soldiers in the funch army who were dragged selectantly from their families into the field of 13 + Chancoal produced to hop land, or water or Chalk zi het Tart zij w water. -14 Stones Ser 3/2 briling water, and

morbid forcher exerctions. 5 Depul parts of tax whose land. b an ountment prepared of verdigreas - tray Imet oil. of Ungolitainano Ung: Saturninum. 8 Com: Haselwood; Remedy . Vrz: litte alum uži Lulphžij Koes land go tomake Hem an dintment. 9 \$73; hogs land 3; mps 19 Ung Citrimum of the Shop. 11 lonos: Jub: 9 x ag: Ziv mp to be applied to the parts affected. afterwards the power of Calonel every hight I have done more good with the two last Remedies, than with all the rest to let the sest to let where they fail, the article, and par distroyed by a Blister depart of the tome This by the assurealfolition. Lucy.
Bums ton Man Just youts Rop of and they.

Brandy of cach half a pint. 15 Hellebore (White) Jigo - or Juj Water 320 Bound Sind of Hellebore all: Zin vol There has lately been a good deal of Controving recent bresans. Truspentine, Ardent front and the hart burne to the fine talely become fur himable remedies lottom have talely become fur himable remedies in such lases. Jos They have donne both good I haven anording to the time in which they have been applied, and the enalone of the burn. In were lifter the way brever there is and sometimes disorganization. non debitits & existate? from a brosen, like debilits and existal from a wound , or any Other Carese always insite until action for the saferthe body alchors debilite as trature does a Vacuum . he a ruint buris, before the Systemas time to next, and to throw existement into the

I shall make a few umashs upon for Sweet of the different kinds of Emptions which require a Sperific treatment. I the prickly heat. It is a salutary disease in Immer Hindichly Leasons, I should never be repelled. It is a remit finer on the fkin. 2 Pringo of anthors, or anthring of the This: It is general, or partial. The general affects the arms abody. The partial, the palmo of the hands - the Joles of the feet the amis - the pudenda in fernales - de Sometimes the grans penis in men. It is a distriping chiscon oursioning waheful = neps, associety - four, or a tendency to wareir water - Cold water - low diet,

V & have Cately met with a Case of this Disease which wished all the above sembies. - It sust I advised a Blister wear The part affected. on the Day I directed it, a break boil arose on one of the labia perdenti which in a few days carried of the - affected part, Tropentine, arbert Spirits, and Cotton by their thembers obviate The debility and expend the debitity excitat indust by the burser, and thus present the attraction or determination of existencet, that is Inflam to it. The lotton acts in two ways first by its themations being come - posed of little viz: Spicula, and a bitterish qua - lite, and 2 hy confining the heat of the part affected. Ruent wounds are often kept from inflowing in the farme

Judina VI. havedometimes given in. us. relief. after U. merenial vinturent cor Muy: atrissum may be applied to the rt part uppeted. The Stating in y arms is domitimes a desuptom of gont in which cantin. In which case it show the cured. In Letto am mentions a Case of death from an astringent remedy being applied to it. - It sometimes occurs both in the arus de Vagina from worms of the assais. . des species. - Injutions of Tobacco are the proper remedies in such Cases. Herper- or Fetter is a local. discore confined to the hands - dome less offect. all the above Remedies both general & local are proper in it. of have known this disease go of of itself

1

-

= boy by pouring wine, spirits, and Urtain Bibans upon hum, in com - Jeg vience of which they soon heal without pain or emech inflam: - to Even Gentusiones are prevented from inflam. & Juppinating by the similar means that is rubling the part injured with a dry hand, or by applying Viney and falt to it. Electricity has constimes had the danne effect. They all not by restoring time to the part injured, and dispipating its existility. Uter Inflam: hastation place from a breser and whentiery all the above unidies to haven by en - creasing them, Under they are applied insuch form as to drotroy the life of the part affected, in which case they produce Ulus, and bountines Inortification. The Remotio after Inflamente has hegare - the les Lots dir - or water-Lead water - possibiles of brown to brith - and mild Cerates . The leng Its am : excellent